

Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

III. H. S. Jan 1857 Hort Dyck Qualité mulifem seems a distinct species; similar to the last variety.

stouter tran the other, and with very short joints. Notes made from Salani fizano Openting gandis flow orange, style ventri roze or satte turnide, but ben swollen Than in Or stene petals; stry and bifil with B: I.C. Op. aurantiare st. gellon, red externely at lowersepels at midsit of uppen one, Diameter 1/2 miles; stigmente pele gellow, b. 11.21.2-5 inh Sam, pepales from of the start. petet pule gellow. It was been versphale all in the least MISSOURI BOTANICAL copyright reserved GARDEN

Op. lexicotricha ovany shill obovitos with numerous pudvilli, fl. paligellowy sepuls a lovad petet acute or duspi det stigmenta 7. veg dank green ovang ovate with D. derumana munon pulvilli, orange petats deeply emany inte. Stigm 7. pole green Many pulvilli, sepels ante, pitels subening-hat, stop 6. pole greenish. Jr. Salmian H. smile eshiti cyternally sed, esperally lower gepels - stigue 5 fris scarlet, flesty whitish. Thing. of. from. Matalusses flow 1856 su flage Attes sheel MISSOURI BOTANICAL

copyright reserved

GARDEN

De Embelle dien his Olevre, 1829 figures after Monoino and desombes an Opentie vosea on plate XV, deser, preg 66. Shich is very peer O. arborerrer, brancher also vertiriles spins white a I alwork excitist, - gray oval, short, with spires, flower 1 or 1/2 juck in d'anuter, externelly sur juternelly whole at some rolow; petal, mostly myster paint tuberne naked yellowith \_ similar to that flow, miller of: O. aubores and paler. -Opentie Ho mentosa has long joints with sather Istant avcolve, puberceure ving soft touth. Op. oligaranthy is a very chamiteristic plat with large at thick joints and darester closer set than in any other of the lange opention colour dell green and very slightly

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

Tee Jane befor lout Oprintig from matamony, is perhaps a ving stout and sping Engelmany or rother lanigern to which I more and more think this Engelman. Celongs. This mataneous plant is stout percol joints 8-14 inches lig 4-5 Miches wise anolae 1-1/2 inch Istant, spine 1-4 deflexed, /2-1 inch long flat pale gellow, bristles very large 14 lines long i en old joints spines and billes more numerous, frior pulated and mixed. - Flower near 4 inshey Samute, pule sulphen gellow sepals læureolete, petal, obourte . strongly outputte ; stigments 7. gren Municipality Brown Spilles thereby strøngly developed almost as much as in O. Tuna, joints smallen On Pottsii is = Oralbioner bull accordate

Of nightoner, fl. rozerolous is in joints

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Copyright reserved

MISSOURI BOTANICAL GARDEN


Harl Dych Jan 1857 from the want of bushes, light green joints. ett. Officer is a log joshed veg peculia plant; — always with some long leaves O. rumsavira i quite perdie , At long nammer jouts -O. Salman seems the willy different from the Cash and I can not Istinging it from the Cylindrical. Opuberrous has also tout joint but I ram see no pribercere. il approaches somewhat to Operation fragilis with longer joints.

The pules ray is send to be as projete as o. fragilis or rather more so. Tome is intermedate between Saluriana forme on the forme on they here. The Opragilier sperimen rever from MISSOURI

BOTANICAL GARDEN

2526 II. H. S. Jan. 1857. Horl Dack 0. mirodasys and all its forms are easily verying - is our outherated plant et hetille. \_ var leevier is handly to be ditingarshed. O. Scounder, publisher, and tornenberg are veryditint at our sourcely they result ordanother the pubercences very indstinet avolar destant and pulvilley by no means so prominel no so full of bustles. \_ . Our sufila Jeems Sitind enough at also O. besilaris but they approach of D. microdays Than to anjothe peries. Orana is a very Stant form with obscular as very thick joints. O. intermedia seems tile name Than to O. vulgari. to O. Rafiningeni MISSOURI

BOTANICAL copyright reserved cm GARDEN



at Montgomery Ala 1.0. Duckly Quate Olefohesquir A lange Operation 4 feet high, forming Jense groups of 8-10 feet Samete between Alexandri & Machiloches La J. Buckly 1859

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN




= Op. vulgaris quenter Macia -Hort bot. Florence - And 29 1258 netarelige abet Horanne fruit small sinch log, unbilities sangular daply incurrenced, for 8 in Stinct arcolae on the full, 5 on the apprendix jetenen deg sed, ext. browned




MISSOUM BOTAINGAL CALL
GEORGE ENGELMANN FARMS







0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved


MISSOURI BOTANICAL GARDEN








MISSOURI BOTANICAL GARDEN



assaugement to I avedlu - end of the more enert series. 7xx = so ande Opentir Augree 2 in a shop in me dichliam Their ( and the State In Somme). 1818 Sorts made a fast long - Assertan not very Istet month opin; sprines while 3-5. for very numerous oboute 25-in interstant long 1/4-1/4 into sant to the total to the land to the same polom pale yellowith green sect. nore. MISSOURI BOTANICAL

copyright reserved CIII GARDEN



Quentia Any reacq Totella (i sight of Lacus Amyolacces) on Limestone Rocks. Manh 30th 1858 A sprending shout about to feel high. of a pale green, but somely glaceous appearance, rovered with white spines Souts 8-12 inches log 6-8 vide obvote 6-9 lines thick, after all with sping Britte, on the joints before nee almost none, tomentum grayish, very short Spines white augustan on somewhat compressed 2 or usually 3 to 4 or even say, one of them to statust, pale gellowing 1- 1/2 inches long al base

Misseuri Betanical Garden George Engelmann Papers

The state of the second of the

The state of the s

